

**Polymer-
Modified
Hydraulic-
Cement
Mixtures**

Kuhlmann/Walters editors

STP 1176 

STP 1176

Polymer-Modified Hydraulic-Cement Mixtures

Louis A. Kuhlmann and D. Gerry Walters, editors

ASTM Publication Code Number (PCN)
04-011760-07



ASTM
1916 Race Street
Philadelphia, PA 19103

Library of Congress Cataloging-in-Publication Data

Polymer-modified hydraulic-cement mixtures / Louis A. Kuhlmann and D. Gerry Walters, editors.

(STP ; 1176)

"ASTM publication code number (PCM) 04-011760-07."

Includes bibliographical references.

ISBN 0-8031-1490-7

1. Polymer-impregnated cement--Testing--Congresses. I. Kuhlmann, Louis A., 1938-. II. Walters, D. Gerry, 1936-. III. Series: ASTM special technical publication ; 1176.

TA435.P65 1993

666'.94--dc20

93-11049

CIP

Copyright © 1993 AMERICAN SOCIETY FOR TESTING AND MATERIALS, Philadelphia, PA. All rights reserved. This material may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of the publisher.

Photocopy Rights

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the AMERICAN SOCIETY FOR TESTING AND MATERIALS for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$2.50 per copy, plus \$0.50 per page is paid directly to CCC, 27 Congress St., Salem, MA 01970; (508) 744-3350. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is 0-8031-1490-7/93 \$2.50 + .50.

Peer Review Policy

Each paper published in this volume was evaluated by three peer reviewers. The authors addressed all of the reviewers' comments to the satisfaction of both the technical editor(s) and the ASTM Committee on Publications.

To make technical information available as quickly as possible, the peer-reviewed papers in this publication were printed "camera-ready" as submitted by the authors.

The quality of the papers in this publication reflects not only the obvious efforts of the authors and the technical editor(s), but also the work of these peer reviewers. The ASTM Committee on Publications acknowledges with appreciation their dedication and contribution to time and effort on behalf of ASTM.

Foreword

This publication, *Polymer-Modified Hydraulic-Cement Mixtures*, contains papers presented at the symposium on Polymer-Modified Hydraulic-Cement Mixtures and Mortars, held in Louisville, KY on 16 June, 1992. The symposium was sponsored by ASTM Committee C-9 on Concrete and Concrete Aggregates and its Subcommittee C04.44 on Polymer-Modified Concrete and Mortars. Louis A. Kuhlmann of The Dow Chemical Company in Midland, MI and D. Gerry Walters of Reichold Chemicals, Inc. in Research Triangle Park, NC, presided as symposium co-chairmen and are editors of the resulting publication.

Contents

Overview—L. A. KUHLMANN	vii
ASTM Specifications and Test Methods for Polymer-Modified Mortar and Concrete—A Status Report—L. A. KUHLMANN	1
The Effect of Polymer Variables and Other Parameters on the Properties of Polymer-Modified Cement Mixtures—D. G. WALTERS	6
Flexible Cementitious Products—H. F. ZOUMUT	19
Effect of Coating with Flexible Polymer Modified Cement Mortar on Inhibition of Alkali Silica Reaction—H. KAMIMOTO AND M. WAKASUGI	34
The Influence of Various Polymeric Materials on the Physical Properties of a Cementitious Patching Compound—R. P. BRIGHT, T. J. MRAZ, AND J. C. VASSALLO	44
Solid Grade Acrylic Cement Modifiers—M.-C. TSAI, M. J. BURCH, AND J. A. LAVELLE	63
Redispersible Polymer Powders for Tough, Flexible Cement Mortars—S. I. SCHNEIDER, D. R. DEWACHER, AND J. G. PALMER	76
Properties of Polymer-Modified Mortars using Epoxy Resin without Hardener—Y. OHAMA, K. DEMURA, AND T. ENDO	90
Effects of Latex Modification on the Failure Mechanism and Engineering Properties of Concrete—P. SOROUSHIAN AND A. TLILI	104
Evaluation of Latex Modified Concrete Overlays for Cathodic Protection Systems—J. J. BARTHOLOMEW	120
Using Styrene-Butadiene Latex as a Modifier to Concrete for Bridge Deck and Parking Garage Overlays—L. A. KUHLMANN	125
Twenty-Year Performance of Latex-Modified Concrete Overlays—M. M. SPRINKEL	141

Overview

Polymer-modifiers used for portland cement are organic polymers dispersed in water and formulated for use in portland cement. Although polymer-modifiers have been in use for over 30 years, there has been a lack of standards and specifications to guide the specifier and customer in their proper use. This has been changing recently. In 1991, the American Concrete Institute (ACI) published the first three chapters of a state-of-the-art report on polymer-modified concrete that dealt primarily with styrene-butadiene copolymer (S-B) latexes. In 1992, ACI published a specification on the use of these latexes as modifiers to concrete for the construction of overlays. In addition, ASTM Subcommittee C09.44 (formerly C09.03.19) is preparing a specification for the latexes and redispersible powders. All of these developments are major steps forward in the effort to improve the quality and proper use of these materials.

To further assist this effort of educating the industry about these materials, a Symposium on Polymer-Modified Hydraulic-Cement Mixtures and Mortars was held in Louisville, KY on 16 June, 1992. At this symposium, technical papers on a variety of aspects of polymer-modifiers were presented.

This Special Technical Publication (STP) contains nine of the papers that were presented, plus two others that could not be included on the program. The papers presented here cover a wide range of topics, from general information on the latexes and redispersible powders, to their application and properties in mortar and concrete.

The book begins with an update on the status of current activities at ASTM with these materials. This update includes a specification for the latexes and redispersible powders for modifying mortar and concrete, as well as suggested modifications to current test methods to make them compatible for the polymer-modifiers. In addition, there is a review of a new test method for measuring adhesion that is being introduced into ASTM. Several papers address the effect of polymer variables, such as polymer type, particle size, and glass transition temperature, as well as polymer levels on the properties of portland cement mortar. Applications of polymer-modified mortar are discussed in the next papers. These include: ceramic tile in flooring applications, mortar coatings for concrete to reduce alkali-silica reaction, and properties for patching.

Redispersible powders, dry products made from latexes and used in single component systems, are increasing in use. Reduction of shipping costs and simplicity of use at the job site are two of the primary reasons for this increase. Properties of mortar modified with powders made from ethylene vinyl acetate and acrylic polymers are described in detail in two of the papers.

One paper addresses a unique polymer-modified system that incorporates an emulsified epoxy resin without a hardener, to produce a modified-mortar. Test results compare favorably to mortar made with a hardener.

Several papers on concrete made with styrene-butadiene latex as a polymer-modifier complete the book. The first, an investigation of the failure mechanism of this modified concrete, indicates that the cured polymer controls the initiation and growth of microcracks. Impact resistance, durability, and toughness are shown to be improved by the addition of the polymer-modifier. Another paper reviews the application of polymer-modified concrete as an overlay on bridge decks with cathodic protection. Data on the performance of these installations indicate that the two systems are compatible and performing well. A review of

the use of this type of latex during the past 20 years as an overlay on bridge and parking garage decks follows. Typical properties of this concrete are given. Mix design guidelines and construction procedures, as well as typical problems that can occur and measures to avoid them are included. Case histories of several projects are highlighted. The final paper is a report on the 20-year performance of bridge deck overlays made with this modified concrete. Data on bond, corrosion potential, and permeability are some of the field measurements reported, supporting the fact that the overlays are still in service.

Louis A. Kuhlmann

The Dow Chemical Company, Larkin Laboratory, Midland, MI, symposium co-chairman and editor.

ISBN 0-8031-1490-7

Polymer-modified cementitious mixtures (PMC) have been called by various names, such as polymer portland cement concrete (PPCC) and latex-modified concrete (LMC). PMC is defined as hydraulic cement combined at the time of mixing with organic polymers that are dispersed or redispersed in water, with or without aggregates. An organic polymer is a substance composed of thousands of simple molecules combined into large molecules. The simple molecules are known as monomers, and the reaction that combines them is called polymerization. Polymer-Modified Hydraulic-Cement Mixtures. Kuhlmann LA, Walters DG Published: 1993. Format. 11 peer-reviewed papers on the latest technology relating to polymer modification of hydraulic cements. Topics include: Applications of polymer-modified mortar, including ceramic tile in flooring applications, mortar coatings for concrete to reduce alkali-silica reaction, and properties for patching. Properties of mortar modified with powders made from ethylene vinyl acetate and acrylic polymers. Concrete made with styrene-modifier. Update on the status of current activities at ASTM with these materials. Table of Contents. ASTM Specifications and Test Methods for Polymer-Modified Mortar Polymer-Modified Hydraulic-Cement Mixtures (Astm Special Technical Publication) [Kuhlmann, Louis A., Walters, D. Gerry] on Amazon.com. *FREE* shipping on qualifying offers. Polymer-Modified Hydraulic-Cement Mixtures (Astm Special Technical Publication). Polymer-modified hydraulic-cement mixtures. Philadelphia: ASTM Special Technical Publication. CrossRefGoogle Scholar. 10. Effects of polymer modification on the permeability of cement mortars under different curing conditions: A correlational study that includes pore distributions, water absorption and compressive strength. Construction and Building Materials, 28(1), 561-570. CrossRefGoogle Scholar. 14. Polymer-Modified Hydraulic-Cement Mixtures book. Read reviews from world's largest community for readers. A dozen papers from a June 1992 symposium in London. Let us know what's wrong with this preview of Polymer-Modified Hydraulic-Cement Mixtures by Louis A. Kuhlmann. Problem: the wrong book the wrong edition Other.